

GEARBOX 44KW RATIO 1:1.93



AO160/2714 1
44KW

Upart slasher gearboxes.

TOP LINK SUPERLINK



AO900/2315 1
CAT 2 515-781MM S16073

AO900/2317 1
CAT 2 620-905MMS16074

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-3 for more information.

PIN IMPLEMENT



AO900/0222 1
CAT 1 S198

AO900/0249 1
CAT 1 S199

AO900/0265 1
CAT 1 S200

AO900/0281 1
CAT 1 S201

AO900/0370 1
CAT 1 S5190

AO900/0435 1
CAT 1/2 S213

AO900/0575 1
CAT 2 S197

AO900/0591 1
CAT 2 S202

AO900/0621 1
CAT 2 S196

AO900/0656 1
CAT 2 S203

AO900/0699 1
CAT 2 S212

AO900/0702 1
HEAVY DUTY CAT 2 S5191

AO900/0710 1
HEAVY DUTY CAT 2 S3006

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-5 for more information.

PIN LINCH



AO900/0036 1
6MM S2

AO900/0044 1
8MM S3

AO900/0052 1
9MM S4

AO900/0060 1
10.5MM S5

AO900/0079 1
11MM S6

AO900/0087 1
11MM CAT 3 S40

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications.

PIN HITCH



AO900/1695 1
19X157MM S404

AO900/1717 1
22X157MM S405

AO900/1733 1
19X98MM S408

AO900/1776 1
25X157MM S410

AO900/1777 1
25X183MM S432

AO900/1792 1
32X183MM S415

Complete with chain and linch pin. Refer technical page T-7 for more information.

PIN FOR DOUBLE DUTY HITCH



AO900/1903 1
750KG

AO900/1908 1
185MM

Spare part for AO900/1902.

BALL END WELD ON



AO900/2950 1
CAT 1 S1338

AO900/2985 1
CAT 2 S1342

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-6 for more information.

PLOUGH SINGLE SHEAR ANIMAL DRAWN HEAVY DUTY HARDMAN



AO902/0010 1

A single furrow high performance plough that combines lightness in weight with sturdy construction for maximum strength and can be pulled by 4 donkeys or 2 oxen.

| | | | |
|---------------------------------------|--------------------------------------|-----------------------------------|--|
| PLOUGH SHARE BOLTS KIT HARDMAN | PLOUGH AXLE BOLT ONLY HARDMAN | PLOUGH CROSS BRACE HARDMAN | PLOUGH STAY BEAM TO MOLDBOARD HARDMAN |
|---------------------------------------|--------------------------------------|-----------------------------------|--|



AO902/0800 1

Spare part for the ox plough at code AO902/0017



AO902/0200 1

Spare part for the ox plough at code AO902/0011

AO902/0655 1

Spare part for the ox plough at code AO902/0010.

AO902/0955 1

Spare part for the ox plough at code AO902/0010.

PLOUGH ADJUSTING BAR HARDMAN



AO902/0650 1

Spare part for the ox plough at code AO902/0010.

PLUG WHEEL AND AXLE COMPLETE SET HARDMAN

AO902/1000 1

Spare part for the ox plough at code AO902/0010.

PLOUGH REGULATOR ONLY HARDMAN

AO902/0660 1

Spare part for the ox plough at code AO902/0010.

PLOUGH STAY HANDLE TO MOLDBOARD HARDMAN

AO902/0965 1

Spare part for the ox plough at code AO902/0010.

PLOUGH WHEEL ONLY HARDMAN



AO902/0250 1

Spare part for the ox plough at code AO902/0010.

PLOUGH HEEL ONLY HARDMAN

AO902/0600 1

Spare part for the ox plough at code AO902/0010.

PLOUGH STAY HANDLE L/R SET HARDMAN

AO902/0850 1

Spare part for the ox plough at code AO902/0010.

PTO REDUCER

AO900/4546 1
6 SPLINE 240MM S254

Quality PTO component.

QR YOKES LA MAGDALENA



| | |
|--------------------------------------|---|
| AO150/25.1 | 1 |
| B2 1 3/8 Q/R 6 SPLINE PTO SHAFT YOKE | |
| AO150/37.1 | 1 |
| B4 1 3/8 6 SPLINE QR PTO SHAFT YOKE | |
| AO150/63.16 | 1 |
| B8 1 3/8 6 SPLINE QUIK RELEASE YOKE | |
| AO150/70.1 | 1 |
| B6 1 3/8 6 SPLINE QUIK RELEASE YOKE | |
| AO160/63.17 | 1 |
| B8 1 3/8 21 SPLINE QUIK RELEASE YOKE | |

Quality PTO shafts and components manufactured since 1957 in Spain.

QR YOKES U-PART



| | |
|----------------------------|---|
| AO150/B10507 | 1 |
| B1 Q/R YOKE 1 3/8 6 SPLINE | |
| AO150/B20507 | 1 |
| B2 Q/R YOKE 1 3/8 6 SPLINE | |
| AO150/B40507 | 1 |
| B4 Q/R YOKE 1 3/8 6 SPLINE | |
| AO150/B60507 | 1 |
| B6 Q/R YOKE 1 3/8 6 SPLINE | |

Value for money PTO shafts and components.

CROSS KITS U-PART



| | |
|--------------------|---|
| AO150/141A | 1 |
| B1 UNIVERSAL CROSS | |
| AO150/241A | 1 |
| B2 UNIVERSAL CROSS | |
| AO150/441 | 1 |
| B4 UNIVERSAL CROSS | |
| AO150/641 | 1 |
| B6 UNIVERSAL CROSS | |

Value for money PTO shafts and components.

YOKES NON INTERFERRING U-PART



| | |
|------------------------------|---|
| AO150/B20525 | 1 |
| B2 25MM YOKE NON INTERF WITH | |
| AO150/B20530 | 1 |
| B2 30MM YOKE NON INTERF WITH | |
| AO150/B40525 | 1 |
| B4 25MM YOKE NON INTERF WITH | |
| AO150/B40530 | 1 |
| B4 30MM YOKE NON INTERF WITH | |
| AO150/B40532 | 1 |
| B4 32MM YOKE NON INTERF WITH | |
| AO150/B40535 | 1 |
| B4 35MM YOKE NON INTERF WITH | |
| AO150/B60525 | 1 |
| B6 25MM YOKE NON INTERF WITH | |
| AO150/B60530 | 1 |
| B6 30MM YOKE NON INTERF WITH | |
| AO150/B60538 | 1 |
| B6 38MM YOKE NON INTERF WITH | |
| AO150/FB60540 | 1 |
| B6 40MM YOKE NON INTERF WITH | |

Value for money PTO shafts and components.

SLIP CLUTCHES U-PART



| | |
|-----------------------------------|---|
| AO150/B4FF2 | 1 |
| B4 FF1 FRICTION CLUTCH 1 3/8 6 SP | |
| AO150/B6FF2 | 1 |
| B6 FF2 FRICTION CLUTCH 1 3/8 6SP | |

Value for money PTO shafts and components.

QUICK RELEASE PIN U-PART



| | |
|--------------|---|
| AO150/000201 | 1 |
|--------------|---|

Value for money PTO shafts and components.

SLIP CLUTCH LA MAGDALENA



| | |
|---------------------------------------|---|
| AO150/90-07 | 1 |
| B6 FF2 SLIP CLUTCH 1 3/8 6 SPLINE Q/R | |

Quality PTO shafts and components manufactured since 1957 in Spain.

TUBES U_PART



| | |
|----------------------------|---|
| AO150/B103 | 1 |
| B1 OUTER TUBE 32.5X2.6MM | |
| AO150/B104 | 1 |
| B1 INNER TUBE 26.5X3.5MM | |
| AO150/B203 | 1 |
| B2 OUTER TUBE 36 X 3.2MM | |
| AO150/B204 | 1 |
| B2 INNER TUBE 29 X 4MM | |
| AO150/B303 | 1 |
| B4 OUTER TUBE 43.5 X 3.4MM | |
| AO150/B404 | 1 |
| B4 INNER TUBE 36 X 4.5MM | |
| AO150/B504 | 1 |
| B6 INNER TUBE 45 X 4MM | |
| AO150/B603 | 1 |
| B6 OUTER TUBE 54 X 4MM | |

Value for money PTO shafts and components.

COMPLETE PTO SHAFTS LA MAGDALENA



| | |
|------------------------------------|---|
| 2003/1M/25.1 | 1 |
| B2 1M COMPLETE PTO SHAFT 1 3/8 | |
| 2005/1.2M/37.1 | 1 |
| B4 1.2M COMPLETE PTO SHAFT 1 3/8 6 | |
| 2005/1M/37.1 | 1 |
| B4 1M COMPLETE PTO SHAFT 1 3/8 6 | |
| 2007/1.2M/70.1 | 1 |
| B6 1.2M COMPLETE PTO SHAFT 1 3/8 6 | |
| 2009/1.2M/63.16 | 1 |
| B8 1.2M COMPLETE PTO SHAFT 1 3/8 6 | |
| 2009/1.2M/63.18 | 1 |
| B8 1.2M COMPLETE PTO SHAFT 1 3/4 6 | |

Quality pto shafts and components manufactured since 1957 in Spain.

ROTORVATOR BLADE CELLI



AO902/180422515 1
80X7 LH

Quality rotorvator blades.

ROTAVATOR BLADE SPEED HOWARD



AO902/9950 1
80 X 9 LH.

Quality rotorvator blades.

SPRING SECTION VIBROFLEX



AO905/301821 1
AO905/301861 1
SPRING SECTION 65X16MM VIBROTILL

S-Tines manufactured from manganese silicon steel.

CHISEL POINT 410MMX52MMX25MM 2 HOLE



AO906/62-0026 1
410MMX52MMX25MM 2 HOLE

Two hole chisel point. Quality range points.

ROTORVATOR BLADE CELLI



AO902/177422514 1
80X7 RH

Quality rotorvator blades.

ROTAVATOR BLADE SPEED HOWARD



AO902/9949 1
80 X 7 RH.

Quality rotorvator blades.

S-TINE WITH POINT



AO905/300002 1
32 X 10MM

S-Tine manufactured from manganese silicon steel.

CHISEL POINT 437MMX66MMX20MM 2 HOLE



AO906/62-0025 1
437MMX66MMX20MM

Two hole chisel point. Quality range points.

ROTORVATOR BLADE MALETTI



AO902/1302078 1
60X7 LH

Quality rotorvator blades.

ROTORVATOR BLADE MALETTI



AO902/1302077 1

Quality rotorvator blades.

CHISEL POINT 418MMX60MMX20MM 2 HOLE CURVED



AO906/62-0023 1
418MMX60MMX20MM

Curved chisel plow point with two holes. Quality range points.

SWEEP



AO902/302006 1
105MM X 4MM

AO902/302007 1
150MM X 4 MM

AO902/302008 1
175 MM X 4 MM

AO902/302009 1
200 MM X 4 MM

AO902/302010 1
250 MM X 4 MM

Sweeps made of Boron Steel

REVERSIBLE POINT



AO905/302001 1
40X5X190
S tines manufactured from manganese silicon steel.

METISA CONICAL DISC



AO920/53-4995 1
24"X5X40MM ROUND CENTRE HOLE
AO920/53-4996 1
24"X5X40MM ROUND CENTRE HOLE
Metisa conical carbon steel discs.

METISA COULTER PLAIN



AO920/53-4924 1
417x60x4MM 3H 10.5MM
AO920/53-4981 1
381x34.9x4MM 6H
Metisa coulters manufactured from boron steel.

SLASHER BLADE BEAM



AO100/1452 1
Skid plates and blade beams.

REVERSIBLE SHARE VIBROFLEX



AO906/302801 1
65X6X265MM
Sweeps made of Boron Steel

METISA DISC



AO920/53-4997 1
24"X5X30-33MM STAR HOLE PLAIN
AO920/53-4998 1
24"X5X30-33MM STAR HOLE NOTCHED
Metisa discs manufactured from boron.

KNOCK ON POINT



AO906/55-5572 1
Ripper knock on point. Made of Boron steel and is forged. Quality range points.

SLASHER BANANA BLADE



AO100/1460 1
90 X 8 X 465MM
AO100/1460RH 1
90 X 8 X 465MM RH
AO100/1801 1
90 X 8 X 460MM
AO100/1804 1
90 X 12 X 385MM
AO100/1805 1
90 X 12 X 450MM
AO100/1806 1
90 X 8 X 450MM
AO100/1810 1
90 X 10 X 620MM
AO100/1812 1
90 X 10 X 410MM

Slasher blades made of boron steel with rolled edge that keep the blades sharp during lifespan.

REVERSIBLE SHARE VIBROFLEX



AO906/302802 1
65X8X295MM
Sweeps made of Boron Steel

METISA COULTER NOTCHED






AO920/53-4925 1
560X98 PCDX4MM 13.5MM GAT 4
AO920/53-4982 1
508X98 PCDX4MM 13.5MM GAT4
Coulters made of boron alloy.

DISCS SMOOTH METISA



AO920/53-4874 1
DISC 28"X8X46MM ROUND CENTRE
Discs made out of boron alloy steel cross rolled for even wear.

| BUSH | METISA DISKS | DISCS METISA | PLOUGH SHEAR 3 HOLE HARDMAN |
|--|---|---|---|
|  |  |  | |
| AO100/71610 1 25 X 16 X 10MM | AO920/53-3597 1 36"X12X65MM ROUND HOLE 4D | AO920/53-4858 1 20"X5X26,5MM SQUARE CENTRE HOLE | AO902/0101 1 |
| AO100/71914 1 32 X 19.5 X 14MM | AO920/53-4839 1 20" X 5 X 29,5X32,5MM STAR CENTRE | AO920/53-4859 1 22"X5X46MM ROUND CENTRE HOLE | Spare part for the ox plough at code AO902/0010. |
| AO100/73814 1 38 X 19.5 X 14MM | AO920/53-4840 1 20"X5 X26,5MM SQUARE CENTRE HOLE | AO920/53-4860 1 22"X5X26,5MM SQUARE CENTRE HOLE | |
| Case hardened blade bushes. | AO920/53-4841 1 22"X5X46MM ROUND CENTRE HOLE | AO920/53-4861 1 22"X5X30MM SQUARE CENTRE HOLE | PLOUGH LANDSIDE ONLY HARDMAN |
| | AO920/53-4842 1 22"X5X26,5MM SQUARE CENTRE HOLE | AO920/53-4862 1 22"X5X33MM ROUND CENTRE HOLE |  |
| BUSH TAARUP | AO920/53-4843 1 22"X5X30MM SQUARE CENTRE HOLE | AO920/53-4863 1 22"X5X29,5X32,5MM STAR CENTRE | |
|  | AO920/53-4844 1 22"X5X29,5X32,5MM STAR CENTRE | AO920/53-4864 1 24"X6X30MM SQUARE CENTRE HOLE | |
| | AO920/53-4845 1 24"X6X30MM SQUARE CENTRE HOLE | AO920/53-4865 1 24"X6X29,5X32,5MM STAR CENTRE | |
| | AO920/53-4846 1 24"X6X29,5X32,5MM STAR CENTRE | AO920/53-4866 1 24"X6X40MM ROUND CENTRE HOLE | |
| | AO920/53-4847 1 24"X6X40MM ROUND CENTRE HOLE | AO920/53-4867 1 24"X6X43MM ROUND CENTRE HOLE | AO902/0300 1 |
| | AO920/53-4848 1 24"X6X43MM ROUND CENTRE HOLE | AO920/53-4868 1 24"X6X46MM ROUND CENTRE HOLE | Spare part for the ox plough at code AO902/0012 |
| AO100/40881100 1 | AO920/53-4849 1 24"X6X46MM ROUND CENTRE HOLE | AO920/53-4869 1 26"X8X46MM ROUND CENTRE HOLE | |
| Case hardened blade bushes. | AO920/53-4850 1 26"X8X46MM ROUND CENTRE HOLE | AO920/53-4870 1 26"X6X40MM ROUND CENTRE HOLE | PLOUGH MOULDBOARD ONLY HARDMAN |
| | AO920/53-4851 1 26"X6X40MM ROUND CENTRE HOLE | AO920/53-4871 1 28"X8X46MM ROUND CENTRE HOLE |  |
| | AO920/53-4852 1 28"X8X46MM ROUND CENTRE HOLE | AO920/53-4872 1 28"X8X42,8MM ROUND CENTRE HOLE | |
| | AO920/53-4853 1 28"X8X42,8MM ROUND CENTRE HOLE | AO920/53-4873 1 26"X8X42,8MM ROUND CENTRE HOLE | |
| | AO920/53-4854 1 26"X8X42,8MM ROUND CENTRE HOLE | Metisa discs are manufactured from boron alloy and carbon steel. Available in notched and plain discs 20" to 28". | |
| | AO920/53-4855AR 1 28"X8X46MM ROUND CENTRE HOLE | PLOUGH SPREADER BAR HARDMAN | |
| | AO920/53-4856 1 20"X5X29,5X32,5MM STAR CENTRE | | AO902/0500 1 |
| | AO920/53-4857 1 22"X5X33MM ROUND CENTRE HOLE | | Spare part for the ox plough at code AO902/0010. |
| | AO920/53-5024 1 36"X12X55.56 RD 4D NOTCHED BORON | | |
| | Discs made of boron alloy and carbon. | | |
| | | AO902/0670 1 | |
| | | Spare part for the ox plough at code AO902/0010. | |

PLOUGH HANDLE RIGHT HAND HARDMAN



AO902/0410 1

Spare part for the ox plough at code AO902/0014

PLOUGH HANDLE LEFT HAND HARDMAN



AO902/0400 1

Spare part for the ox plough at code AO902/0013

PLOUGH MAIN FRAME HARDMAN

AO902/1050 1

Spare part for the ox plough at code AO902/0010.

CHISEL POINT 418MMX62MMX20MM CURVED



AO906/62-0022 1
418MMX62MMX20MM

Curved chisel plow point. Quality range points.

PLOUGH FROG ONLY HARDMAN



AO902/0550 1

Spare part for the ox plough at code AO902/0015

PLOUGH U CLAMP ASSEMBLY HARDMAN

AO902/0900 1

Spare part for the ox plough at code AO902/0010.

PLOUGH SPANNER HARDMAN

AO902/0125 1

Spare part for the ox plough at code AO902/0010.

CHISEL POINT 315MMX66MMX20MM 3HOLE



AO906/62-0024 1
315X66X20MM

Three hole chisel point. Quality range points.

PLOUGH BOLT KIT COMPLETE HARDMAN



AO902/0750 1

Spare part for the ox plough at code AO902/0016

PLOUGH PULL CHAIN HARDMAN

AO902/0350 1
7.1MM X 3.5M

Spare part for the ox plough at code AO902/0010.

PLOUGH SHARE ONLY HARDMAN

AO902/0100 1

Spare part for the ox plough at code AO902/0010.















ROTAVATOR BLADE SPEED HOWARD



AO902/9951 1
80 X 9 RH.

Quality rotator blades.

| | | | |
|---|---|--|---|
| <p>ROTAVATOR BLADE SPEED HOWARD</p> | <p>ROTAVATOR BLADE</p> | <p>ROTAVATOR BLADE UNIVERSAL HOWARD</p> | <p>SHANK SECTION VIBROFLEX</p> |
|  |  |  |  |
| <p>AO902/9953 1 80 X 6 LH.</p> | <p>AO902/06L 1 50 X 6 B.C.S. LH.</p> | <p>AO902/9900 1 75 X 6 LH.</p> | <p>AO905/301822 1</p> |
| <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>S Tines manufactured from manganese silicon steel.</p> |
| <p>ROTAVATOR BLADE HOWARD</p> | <p>ROTAVATOR BLADE UNIVERSAL HOWARD</p> | <p>ROTAVATOR BLADE UNIVERSAL HOWARD</p> | <p>SHANK SECTION VIBROTILL</p> |
|  |  |  |  |
| <p>AO902/9954 1 8 X 6</p> | <p>AO902/3900 1 80 X 7 LH.</p> | <p>AO902/9901 1 75 X 6 RH.</p> | <p>AO905/301862 1 50X10MM</p> |
| <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>S Tines manufactured from manganese silicon steel.</p> |
| <p>ROTAVATOR BLADE</p> | <p>ROTAVATOR BLADE UNIVERSAL HOWARD</p> | <p>ROTAVATOR BLADE SPEED HOWARD</p> | <p>S-TINE</p> |
|  |  |  |  |
| <p>AO902/01L 1 25 X 6 B.C.S. LH.</p> | <p>AO902/3901 1 80 X 7 RH.</p> | <p>AO902/9948 1 80 X 7 LH.</p> | <p>AO905/300001 1 32 X 10 MM</p> |
| <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>Quality rotorvator blades.</p> | <p>S-Tines manufactured from manganese silicon steel.</p> |

S TINE TOPLINE



AO905/315611 1
65X10MM

S Tines manufactured from manganese silicon steel.

REVERSIBLE MULCH SHARE VIBROFLEX



AO906/302805 1
110X6X308MM

Sweeps made of Boron Steel

ROTORVATOR BLADE TAARUP

AO100/40882300 1
75X7

Quality rotorvator blades.

SLASHER SKID



AO100/0422 1

Skid plates and blade beams.

BLADE NUT NYLOC SLASHER



AO100/61921 1
3/4"

AO100/62222 1
M22

Bults and nuts for slasher blades.

BLADE BOLT SLASHER



AO100/51963 1
3/4" X 2 1/2"

AO100/52275 1
M22X75

Bults and nuts for slasher blades.

BALL END



AO900/3025 1
JOHN DEERE S3374

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-7 for more information.

STABILISER CHAIN



AO900/3280 1
840-940MM S175

AO900/3302 1
819-927MM S176

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-8 for more information.

PIN TOP LINK



AO900/0966 1
CAT 1 127MM S75

AO900/0982 1

CAT 1 138MM S74

AO900/1024 1

CAT 1 164MM S77

AO900/1148 1

CAT 2 121MM S79

AO900/1164 1

CAT 2 135MM S76

AO900/1199 1

CAT 2 95.5MM S69

AO900/1210 1

CAT 2 148MM S81

AO900/1237 1

CAT 2 180MM S80

AO900/1253 1

85MM S112

AO900/1342 1

CAT 1 S110

AO900/1385 1

CAT 1 S111

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-5 for more information.

TOP LINK



| | |
|------------------------------|---|
| AO900/2004 | 1 |
| CAT 1/1 520-724MM S300 | |
| AO900/2020 | 1 |
| CAT 1/1 620-838MM S301 | |
| AO900/2152 | 1 |
| CAT 1/1 673-838MM MF S588 | |
| AO900/2157 | 1 |
| CAT 1/2 616-794MM FORD S3631 | |
| AO900/2160 | 1 |
| CAT 1/2 527-737MM S304 | |
| AO900/2179 | 1 |
| CAT 2/2 616-838MM S305 | |
| AO900/2209 | 1 |
| CAT 1/2 673-838MM MF S587 | |
| AO900/2225 | 1 |
| CAT 1/2 546-806MM S302 | |
| AO900/2229 | 1 |
| CAT 2/2 648-908MM S337 | |
| AO900/2241 | 1 |
| CAT 2/2 648-908MM S303 | |
| AO900/2276 | 1 |
| H/DUTY CAT 2 546-800MM S3473 | |
| AO900/2292 | 1 |
| H/DUTY CAT 2 648-902MM S3474 | |
| AO900/2314 | 1 |
| CAT 2 635-870MM S15347 | |
| AO900/2330 | 1 |
| CAT 3 648-927MM S4603 | |

Tractor three-point linkage replacement parts for use with normal to extra heavy-duty applications. Refer technical page T-2 for more information.

CROSS KITS LA MAGDALENA



| | |
|----------------------------------|---|
| AO150/2140A | 1 |
| B4 UNIVERSAL CROSS 27X74.5MM | |
| AO150/2200A | 1 |
| B6 UNIVERSAL CROSS 30.2 X 92MM | |
| AO150/2230 | 1 |
| B8 UNIVERSAL CROSS 35 X 106.30MM | |
| AO150/840 | 1 |
| B2 UNIVERSAL CROSS 24X61MM | |

Quality PTO shafts and components manufactured since 1957 in Spain.

GEARBOX 59KW RATIO 1:1.93



| | |
|------------|---|
| AO160/RC81 | 1 |
| 59KW | |

Upart slasher gearboxes.

GEARBOX 22KW RATIO 1:1.93



| | |
|------------|---|
| AO160/RC31 | 1 |
| 22KW | |

Upart slasher gearboxes

WIDE ANGLE PTO SHAFTS LA MAGDALENA



| | |
|---------------------------------|---|
| 60205/1.2M/637 | 1 |
| B4 1.2M COMPLETE WIDE ANGLE PTO | |
| 60235/1.5M/651 | 1 |
| B6 1.5M WIDE ANGLE PTO SHAFT | |

Quality PTO shafts and components manufactured since 1957 in Spain.

COMPLETE SHAFT WITH SLIP CLUTCH LA MAGDELENA

| | |
|--------------------------------------|---|
| 2007/1.2M/70.1-B6 1.2M 1 3/8 Q/R FF2 | 1 |
|--------------------------------------|---|

Quality PTO shafts and components manufactured since 1957 in Spain.

COMPLETE PTO SHAFT WITH SLIP CLUTCH U-PART



| | |
|--------------------------------|---|
| AO150/B412SFF | 1 |
| B4 COMPLETE SHAFT Q/R FF1 1.2M | |
| AO150/B612SFF | 1 |
| B6 COMPLETE SHAFT Q/R FF2 1.2M | |

Value for money PTO shafts and components.

TUBE YOKES U-PART



| | |
|-----------------------------|---|
| AO150/B106 | 1 |
| B1 OUTER TUBE YOKE TRIANGLE | |
| AO150/B107 | 1 |
| B1 INNER TUBE YOKE TRIANGLE | |
| AO150/B206 | 1 |
| B2 OUTER TUBE YOKE TRIANGLE | |
| AO150/B207 | 1 |
| B2 INNER TUBE YOKE TRIANGLE | |
| AO150/B406 | 1 |
| B4 OUTER TUBE YOKE TRIANGLE | |
| AO150/B407 | 1 |
| B4 INNER TUBE YOKE TRIANGLE | |
| AO150/B606 | 1 |
| B6 OUTER TUBE YOKE TRIANGLE | |
| AO150/B607 | 1 |
| B6 INNER TUBE YOKE TRIANGLE | |

Value for money PTO shafts and components.

TUBE YOKES LA MAGDALENA



| | |
|--------------------|---|
| AO150/13 | 1 |
| B2 INNER TUBE YOKE | |
| AO150/14 | 1 |
| B2 OUTER TUBE YOKE | |
| AO150/46 | 1 |
| B4 INNER TUBE YOKE | |
| AO150/47 | 1 |
| B4 OUTER TUBE YOKE | |
| AO150/67 | 1 |
| B8 INNER TUBE YOKE | |
| AO150/68 | 1 |
| B8 OUTER TUBE YOKE | |
| AO150/74 | 1 |
| B6 INNER TUBE YOKE | |
| AO150/75 | 1 |
| B6 OUTER TUBE YOKE | |

Quality PTO shafts and components manufactured since 1957 in Spain.

**SHEARBOLT CLUTCHES LA
MAGDALENA**



| | |
|------------------------------------|---|
| AO150/T-05 | 1 |
| B4 SHEARBOLT CLUTCH 1 3/8 6 SPLINE | |
| AO150/T-07 | 1 |
| B6 SHEARBOLT CLUTCH 1 3/8 6 SPLINE | |
| AO150/T-09 | 1 |
| B8 SHEARBOLT CLUTCH 1 3/8 6 SPLINE | |

Quality PTO shafts and components manufactured since 1957 in Spain.

**FREEWHEEL CLUTCHES LA
MAGDALENA**

| | |
|------------------------------------|---|
| AO150/94-07 | 1 |
| B4 SHEARBOLT CLUTCH 1 3/8 6 SPLINE | |

Quality PTO shafts and components manufactured since 1957 in Spain.

COVERS U-PART

| | |
|-------------------|---|
| AO150/B412M | 1 |
| B4 COMPLETE COVER | |
| AO150/B612M | 1 |
| B6 COMPLETE COVER | |

Value for money PTO shafts and components.

COMPLETE PTO SHAFTS U-PART



| | |
|-------------------------------------|---|
| AO150/110SZ | 1 |
| B1 COMPLETE SHAFT 1 3/8 Q/R 1 METER | |
| AO150/B210SZ | 1 |
| B2 COMPLETE SHAFT 1 3/8 Q/R 1 METER | |
| AO150/B410SZ | 1 |
| B4 COMPLETE SHAFT 1 3/8 1 METER | |
| AO150/B412SZ | 1 |
| B4 COMPLETE SHAFT 1 3/8 Q/R 1.2M | |
| AO150/B610SZ | 1 |
| B6 COMPLETE SHAFT 1 3/8 Q/R 1M | |
| AO150/B612SZ | 1 |
| B6 COMPLETE SHAFT 1 3/8 Q/R 1.2M | |
| AO150/B615SZ | 1 |
| B6 COMPLETE SHAFT 1 3/8 QR 1.5M | |

Value for money PTO shafts and components.

CLUTCH PLATES U-PART



| | |
|----------------------------|---|
| AO150/13887 | 1 |
| B6 FF2 CLUTCH PLATE 98X160 | |
| AO150/F13777 | 1 |
| B4 FF1 CLUTCH PLATE 85X140 | |

Value for money PTO shafts and components.



TUBE YOKES LEMON PROFILE U PART



| | |
|--------------------------|---|
| AO150/B103LP | 1 |
| B1 OUTER TUBE LEMON | |
| AO150/B104LP | 1 |
| B1 INNER TUBE LEMON | |
| AO150/B106LP | 1 |
| B1 OUTER TUBE YOKE LEMON | |
| AO150/B107LP | 1 |
| B1 INNER TUBE YOKE LEMON | |
| AO150/B206LP | 1 |
| B2 OUTER TUBE YOKE LEMON | |
| AO150/B207LP | 1 |
| B2 INNER TUBE YOKE LEMON | |
| AO150/B303LP | 1 |
| B4 OUTER TUBE LEMON | |
| AO150/B404LP | 1 |
| B4 INNER TUBE LEMON | |
| AO150/B406LP | 1 |
| B4 OUTER TUBE YOKE LEMON | |
| AO150/B407LP | 1 |
| B4 INNER TUBE YOKE LEMON | |
| AO150/B504LP | 1 |
| B6 INNER TUBE LEMON | |
| AO150/B603LP | 1 |
| B6 OUTER TUBE LEMON | |
| AO150/B606LP | 1 |
| B6 OUTER TUBE YOKE LEMON | |
| AO150/B607LP | 1 |
| B6 INNER TUBE YOKE LEMON | |

Value for money P.T.O. shafts and components.